

I. Listing of Claims

1. (Cancelled)

2. (Cancelled)

3. (Cancelled)

4. (Cancelled)

5. (Cancelled)

6. (Cancelled)

7. (Currently Amended): A plastics molded part ~~with a soft-feel surface, the soft surface ending in a recess extending around and close to the edge of the molded part comprising:~~

a soft-feel section including a sheet of soft material having an inner surface and an outer surface and having a compressed section and an uncompressed section; and

a molded section coupled with the soft-feel section, the molded section including a body and a rim, the body having a first surface, and the rim having an inner surface and an outer surface;

wherein the first surface of the body is in contact with the inner surface of the soft-feel section, the inner surface of the rim is in contact with the outer surface of the soft-feel section, and the first surface of the body and the inner surface of the rim are configured to compress the compressed section of the soft-feel section;

wherein a first distance is the distance between the first surface of the body and the outer surface of the uncompressed section measured perpendicularly from the first surface of the body, a second distance is the distance between the first surface of the body and the outer surface of the rim measured perpendicularly from the first surface of the body, and the first distance is about the same as the second distance.

8. (New): A plastics molded part as in Claim 7, wherein the outer surface of the uncompressed section is substantially flush with the outer surface of the rim.

9. (New): A plastics molded part as in Claim 7, wherein the first distance is greater than the second distance.

10. (New): A plastics molded part as in Claim 7, wherein the molded section is an injection molded section.

11. (New): A plastics molded part as in Claim 7, wherein the sheet of soft material includes a foam material.

12. (New): A plastics molded part as in Claim 7, wherein the sheet of soft material is a laminate with a layer of foam between two flexible webs.

13. (New): A plastics molded part as in Claim 12, wherein the flexible webs include a thermoplastic olefin material.

14. (New): A plastics molded part comprising:

a soft-feel section including a sheet of soft material coupled with at least one flexible web; and

a molded section coupled with the soft-feel section, the molded section including a body and a rim;

wherein the body and the rim are configured to compress a compressed section of the soft-feel section.

15. (New): A plastics molded part as in Claim 14, wherein the at least one flexible web includes a first flexible web coupled with a first surface of the soft material and a second flexible web coupled with a second surface of the soft material.

16. (New): A plastics molded part as in Claim 15, wherein the first flexible web and the second flexible web are formed of a thermoplastic olefin material.

17. (New): A plastics molded part as in Claim 16, wherein the soft material includes a foam material.